




Bench Grinder



Angle Grinder

Bench Wire Wheels

- Dense, compact crimped steel wire brush face
- **May be stacked to achieve wider work face**
- Primary application: For general scale removal, cleaning and surface preparation
- Standard 2" arbor, with adaptor to listed arbor
- Includes bushing pairs to adapt to variety of arbors

Additional arbors available

Part No.	Size
95201	2 x 1/2
95203	2 x 5/8
95204	2 x 3/4
95206	2 x 1
95207	2 x 1-1/4

**** not available for part number 09558 and 09555



Size			Face Width	Trim Length	Max RPM	INDUSTRIAL		BLUE LINE™
Dia.	Wire	Arbor				Part No.	Std Pkg	Part No.
6	.014	5/8, 1/2	Wide	1-1/16"	6,000	09557	1	06557
6	.014	5/8, 1/2	Narrow	1-3/16"	6,000	09558****	1	06558
6	.008	5/8, 1/2	Narrow	1-1/16"	6,000	09555****	1	06555
7	.014	5/8	Wide	1-9/16"	6,000	09559	1	06559
8	.014	5/8	Wide	1-1/2"	4,000	01411	1	06556
10	.014	3/4	Wide	2"	3,600	09560	1	-

Note: Wide 1"
Narrow 1/2"

Packaging

Standard industrial packaging or Blue Line™ point of sale display packaging

Large Cup Brushes

- Available in the following wire types:
 - Knot wire for low to medium flexibility and aggressive cutting action
 - Crimped wire which has higher flexibility for light cleaning and removal, especially on irregular surfaces
- Primary application: **For fast cleaning of large surfaces**

Knot Wire - nut inside

Size			Rows	Trim Length	Max RPM	INDUSTRIAL		BLUE LINE™
Dia.	Wire	Arbor				Part No.	Std Pkg	Part No.
4	.020	5/8-11	1	1-3/8"	9,000	03407**	1	06407
4	.020	5/8-11	1	Stainless*	9,000	03406***	1	06406
6	.020	5/8-11	1	1-3/4"	6,600	03409***	1	06409
6	.035	5/8-11	1	1-3/4"	6,600	03410***	1	06410
6	.020	5/8-11	2	1-3/4"	6,000	03411***	1	06411
6	.035	5/8-11	2	1-3/4"	6,000	03412***	1	06412
6	.020	5/8-11	1	Stainless*	6,600	03413***	1	-

Crimped Wire - nut inside

4	.020	5/8-11	-	1-1/8"	9,000	09551	1	06551
5	.020	5/8-11	-	1-1/2"	8,000	09552	1	-
5	.020	5/8-11	Stainless*	1-1/2"	8,000	09554	1	06554
6	.020	5/8-11	-	1-1/2"	6,600	09553	1	06553



Packaging

Standard industrial packaging or Blue Line™ point of sale display packaging

* 302 stainless steel wire used

** nut on outside

***nut on outside in Canada only

Small Cup



Angle Grinder

BRUSHES

Small Cup Brushes

- For use on small grinders
- Available in the following wire types:
 - Knot wire for low to medium flexibility and aggressive cutting action
 - Crimped carbon steel wire for light cleaning and where greater flexibility is required
 - Stainless steel knot wire for use on stainless, aluminum, and high strength alloys
- Variety of threaded arbors available

Packaging

Standard industrial packaging or Blue Line™ point of sale display packaging


*302 stainless steel wire used



Size			Wire Style	Matl Type	Max RPM	INDUSTRIAL		BLUE LINE™
Dia.	Wire	Arbor				Part No.	Std Pkg	Part No.
2-3/4	.014	5/8-11	Knot	Carbon	14,000	03414	6	06414
2-3/4	.014	M14 x 2.0	Knot	Carbon	14,000	03415	6	06415
2-3/4	.014	M10 x 1.25	Knot	Carbon	14,000	03416	6	06416
2-3/4	.014	M10 x 1.5	Knot	Carbon	14,000	03417	6	06417
2-3/4	.014	1/2-13	Knot	Carbon	14,000	03418	6	06418
2-3/4	.020	5/8-11	Knot	Carbon	14,000	03501	6	06501
2-3/4	.020	M14 x 2.0	Knot	Carbon	14,000	03502	6	06502
2-3/4	.020	M10 x 1.25	Knot	Carbon	14,000	03503	6	06503
2-3/4	.020	M10 x 1.5	Knot	Carbon	14,000	03504	6	06504
2-3/4	.020	1/2-13	Knot	Carbon	14,000	03505	6	06505
2-3/4	.014	5/8-11	Knot	Stainless*	14,000	03419	6	06419
2-3/4	.014	M14 x 2.0	Knot	Stainless*	14,000	03423	6	06423
2-3/4	.014	M10 x 1.25	Knot	Stainless*	14,000	03422	6	-
2-3/4	.014	M10 x 1.5	Knot	Stainless*	14,000	03421	6	06421
2-3/4	.014	1/2-13	Knot	Stainless*	14,000	03420	6	06420
2-3/4	.020	5/8-11	Knot	Stainless*	14,000	03506	6	06506
2-3/4	.020	M14 x 2.0	Knot	Stainless*	14,000	03507	6	06507
2-3/4	.020	M10 x 1.25	Knot	Stainless*	14,000	03508	6	-
2-3/4	.020	M10 x 1.5	Knot	Stainless*	14,000	03509	6	06509
2-3/4	.020	1/2-13	Knot	Stainless*	14,000	03510	6	06510
2-3/4	.014	5/8-11	Crimped	Carbon	14,000	01401	6	06401
2-3/4	.014	M14 x 2.0	Crimped	Carbon	14,000	01405	6	06405
2-3/4	.014	M10 x 1.25	Crimped	Carbon	14,000	01404	6	06404
2-3/4	.014	M10 x 1.5	Crimped	Carbon	14,000	01403	6	06403
2-3/4	.014	1/2-13	Crimped	Carbon	14,000	01402	6	06402
2-3/4	.014	5/8-11	Crimped	Stainless*	14,000	01408	6	06408
3-1/2	.020	5/8-11	Knot	Carbon	12,500	03511	1	06511
3-1/2	.020	5/8-11	Knot	Stainless*	12,500	03512	1	06512
3-1/2	.014	5/8-11	Crimped	Carbon	12,500	03513	1	06513
3-1/2	.014	5/8-11	Crimped	Stainless*	12,500	03514	1	06514

WIRE BRUSHES

BRUSHES



Angle Grinder



Knot & Crimped Wire Wheels

- For use on small grinders
- Available in the following wire types:
 - Regular twist covers more surface area in a single pass
 - Stringer bead twist excellent for welds, flux removal and where a narrow work face is required
 - Crimped carbon steel wire provides flexibility and a wider work face than knot style
 - Stainless steel wire for use on stainless, aluminum, and high strength alloys
- Variety of threaded arbors available

Packaging

Standard industrial packaging or Blue Line™ point of sale display packaging

Regular Twist

*302 stainless steel wire used

Size			Matl Type	Max RPM	INDUSTRIAL		BLUE LINE™
Dia.	Wire	Arbor			Part No.	Std Pkg	Part No.
4	.014	5/8-11	Carbon	20,000	03426	6	06426
4	.014	M14 x 2.0	Carbon	20,000	03427	6	06427
4	.014	M10 x 1.25	Carbon	20,000	03428	6	06428
4	.014	M10 x 1.5	Carbon	20,000	03429	6	06429
4	.014	1/2-13	Carbon	20,000	03430	6	06430
4	.020	5/8-11	Carbon	20,000	03460	6	06460
4	.014	5/8-11	Stainless*	20,000	03431	6	06431
4	.014	M14 x 2.0	Stainless*	20,000	03435	6	06435
4	.014	M10 x 1.25	Stainless*	20,000	03434	6	06434
4	.014	M10 x 1.5	Stainless*	20,000	03433	6	06433
4	.014	1/2-13	Stainless*	20,000	03432	6	06432
4	.020	5/8-11	Stainless*	20,000	03461	6	06461
6	.025	5/8-11	Carbon	9,000	03385	3	06385

Stringer Bead / Pipeline

4	.020	5/8-11	Carbon	20,000	03440	6	06440
4	.020	M14 x 2.0	Carbon	20,000	03441	6	06441
4	.020	M10 x 1.25	Carbon	20,000	03442	6	-
4	.020	M10 x 1.5	Carbon	20,000	03443	6	06443
4	.020	1/2-13	Carbon	20,000	03444	6	06444
4	.020	5/8-11	Stainless*	20,000	03445	6	06445
4	.020	M14 x 2.0	Stainless*	20,000	03446	6	06446
4	.020	M10 x 1.25	Stainless*	20,000	03447	6	-
4	.020	M10 x 1.5	Stainless*	20,000	03448	6	-
4	.020	1/2-13	Stainless*	20,000	03449	6	-
5	.020	5/8-11	SB-Carbon	12,000	03380	6	06380
5	.020	M14 x 2.0	Carbon	12,000	03381	6	06381
5	.020	5/8-11	SB-Stainless*	12,000	03382	6	06382
6	.020	5/8-11	SB-Stainless*	12,000	03383	6	06383
6	.020	5/8-11	SB-Carbon	12,000	03384	6	06384
6-1/2	020	5/8-11	SB-Stainless*	9,000	03389	6	06389
6-1/2	020	5/8-11	SB-Carbon	9,000	03391	6	06391

Crimped

4	.014	5/8-11	Carbon	12,500	03450	6	06450
4	.014	M14 x 2.0	Carbon	12,500	03451	6	06451
4	.014	M10 x 1.25	Carbon	12,500	03452	6	06452
4	.014	M10 x 1.5	Carbon	12,500	03453	6	06453
4	.014	1/2-13	Carbon	12,500	03454	6	06454

Wire Wheels



Angle Grinder

BRUSHES



Knot Wire Wheels

- Can be used on portable power tools
- Available in the following wire types:
 - Knot wire for low to medium flexibility and aggressive cutting action
 - Stainless steel wire for use on stainless, aluminum, and high strength alloys
- Primary application: **Cleaning, deburring, and scale removal**

Size			Matl Type	Max RPM	INDUSTRIAL		BLUE LINE™
Dia.	Wire	Arbor			Part No.	Std Pkg	Part No.
3	.014	3/8	Carbon	25,000	03377	4	06377
3	.014	1/2, 3/8	Stainless*	25,000	03376	4	06376
4	.014	1/2	Carbon	20,000	03378	4	06378
5	.020	5/8-11	Carbon	12,000	03373	1	06373
5	.020	5/8-11	Stainless*	12,000	03374	1	06374
6	.020	5/8, 1/2	Carbon	9,000	03386	1	06386
6	.020	5/8-11	Carbon	9,000	03388	1	06388
6	.016	5/8, 1/2	Stainless*	9,000	03387	1	06387

Packaging

Standard industrial packaging or Blue Line™ point of sale display packaging

*302 stainless steel wire used



Packaging

Standard industrial packaging or Blue Line™ point of sale display packaging

*302 stainless steel wire used

Pipeline Brushes

- **Excellent for use in the pipeline industry**
- Available in the following wire types:
 - Knot wire provides aggressive action in the removal of bead scale, weld flash, or splatter
 - Regular twist and stringer bead twist for higher impact action
 - Stainless steel wire available in stringer bead twist for use on stainless, aluminum, and high strength alloys
- Primary application: **Cleaning, deburring, and scale removal**

Size			Matl Type	Max RPM	INDUSTRIAL		BLUE LINE™
Dia.	Wire	Arbor			Part No.	Std Pkg	Part No.
4	.020	5/8-11	Carbon	20,000	03440	6	06440
4	.020	M14 x 2.0	Carbon	20,000	03441	6	06441
4	.020	M10 x 1.25	Carbon	20,000	03442	6	-
4	.020	M10 x 1.5	Carbon	20,000	03443	6	06443
4	.020	1/2-13	Carbon	20,000	03444	6	06444
4	.020	5/8-11	Stainless*	20,000	03445	6	06445
4	.020	M14 x 2.0	Stainless*	20,000	03446	6	06446
4	.020	M10 x 1.25	Stainless*	20,000	03447	6	-
4	.020	M10 x 1.5	Stainless*	20,000	03448	6	-
4	.020	1/2-13	Stainless*	20,000	03449	6	-
5	.020	5/8-11	SB-Carbon	12,000	03380	6	06380
5	.020	M14 x 2.0	Carbon	12,000	03381	6	06381
5	.020	5/8-11	SB-Stainless*	12,000	03382	6	06382
6	.020	5/8-11	SB-Stainless*	12,000	03383	6	06383
6	.020	5/8-11	SB-Carbon	12,000	03384	6	06384
6	.025	5/8-11	Carbon	9,000	03385	6	06385
6-1/2	020	5/8-11	SB-Stainless*	9,000	03389	6	06389
6-1/2	020	5/8-11	SB-Carbon	9,000	03391	6	06391

BRUSHES

Joint/End Brushes



Die Grinder



Street Saw



Joint Brushes

- For use on street saws
- Primary application: **Cleaning concrete expansion joints**

Packaging

1 brush per package

Dia.	Wire Size	Description	Max RPM	Part No.	Std Pkg
12"	.035	Joint Brush 1" Arbor, 7/16 Pinhole	6,000	09570	1

End Brushes

- For use on portable power tools
- **Excellent for use in cleaning and finishing recessed areas or pipes**
- Available in the following wire types:
 - Knot wire provides aggressive cutting action
 - Circular flared end brush excellent for side cleaning action
 - Crimped wire for high flexibility
- 1/4" shank diameter

Packaging

Standard industrial packaging or Blue Line™ point of sale display packaging

*302 stainless steel wire used



Size Dia.	Wire Wire	Wire Style	Trim Length	Overall Length	Max RPM	INDUSTRIAL		BLUE LINE™
						Part No.	Std Pkg	Part No.
1	.020	Knot Type	1	2-5/8	22,000	02701	12	06701
1	.020	Crimped Wire	1	2-5/8	22,000	02709	12	06709
1	.020	SS-Knot*	1	2-5/8	22,000	02704	12	06704
3/4	.014	Crimped Wire	1	2-5/8	22,000	02702	12	06702
3/4	.014	Knot Type	1-1/8	2-5/8	22,000	02703	12	06703
1-1/2	.012	Circ. Flared Crimped	5/16	1-3/4	20,000	02710	12	06710
2-1/2	.014	Circ. Flared	11/16	1-3/4	20,000	02705	12	06705
2	.014	Crimped Wire Wheel	7/16	1-1/4	25,000	02712	12	06712
3	.014	Circ. Flared Crimped*	7/8	1-3/4	20,000	02711	12	06711
3	.014	Crimped Wire Wheel	15/16	1-1/4	25,000	02713	12	06713
3	.014	Crimped Wire Wheel*	15/16	1-1/4	25,000	02714	12	06714

WIRE
BRUSHES

BRUSHES

Scratch/Miscellaneous

BRUSHES



Scratch Brushes

- Excellent for light scale removal
- Available in the following wire types:
 - Carbon steel wire for general purpose cleaning
 - Stainless steel wire is carbon free
 - Brass wire for general purpose cleaning
- Primary application: Maintenance cleaning

*Stainless steel wire used

Size Rows	Wire Size	Type	Part No.	Std Pkg
3 x 19	.014	Curved Handle	05751	12
3 x 19	.014	Curved Handle w/Scraper	05760	12
3 x 19	.012	Curved-Stainless*	05755	12
3 x 14	.014	V-Groove Scratch	05764	12
3 x 14	.012	V-Groove Scratch-Stainless*	05765	12
4 x 16	.014	Shoe Handle	05753	12
4 x 16	.014	Shoe Handle w/Scraper	05761	12
4 x 16	.012	Shoe Handle-Stainless*	05763	12
4 x 19	.014	Curved Handle	05752	12
3 x 7	.006	Small Cleaning Brush-Stainless*	05759	12
3 x 7	.006	Small Cleaning Brush w/Plastic Handle-Stainless*	05766	12
3 x 7	.006	Small Cleaning Brush-Brass	05762	12
3 x 7	.006	Small Cleaning Brush w/Plastic Handle-Brass	05768	12
3 x 15	-	Chipping Hammer Brush	05757	12

Miscellaneous Brushes

Metal Chip Brush

- Durable, long lasting
- For cleaning metal chips from work surfaces

Acid Brushes

- Quality horsehair bristles
- Machine trimmed and crimped to specification

Paint Brushes

- Quality horsehair bristles/Wood handle
- Use for solvents and chemicals



Brush Type	Width	Trim Length	Overall Length	Part No.	Std Pkg
Metal Chip	1-1/2"	1-1/2"	5-5/16"	00510	12 pcs
	3/8"	3/4"	6"	00501	1 gross
Acid Brush	7/16"	7/8"	6-1/2"	00502	1 gross
	9/16"	7/8"	6-1/8"	00503	1 gross
Paint Brush	1/2"	1-1/2"	7"	00511	72 pcs
	1"	1-1/2"	7-1/2"	00512	72 pcs
	1-1/2"	1-1/2"	7-1/2"	00513	72 pcs
Paint Brush	2"	1-1/2"	7-1/2"	00514	72 pcs
	3"	1-1/2"	8"	00515	48 pcs
	4"	2-1/4"	9-1/2"	00516	12 pcs

BRUSHES

Nylon




Hand Brush



Die Grinder



Bench Grinder



Angle Grinder

Nylon Abrasive Brushes

- Available in silicon carbide
- Use on steel, aluminum, copper, brass, stainless steel, super alloys, plastics, composites, ceramics, wood, leather



Large Diameter Wheels

Size		Grit	Face Width	Trim Length	Max RPM	Part No.	Qty Per Box
Dia.	Arbor						
3	5/8	80	1/2	5/8	18,000	04110	1
3	5/8	320	1/2	5/8	18,000	04120	1
4	5/8	120	5/8	3/4	12,000	04130	1
4	5/8	180	5/8	3/4	12,000	04140	1
6	2	120	7/8	1-1/16	6,000	04150	1
6	2	180	7/8	1-1/16	6,000	04160	1

Small Diameter Wheels

Size		Grit	Face Width	Trim Length	Max RPM	Part No.	Qty Per Box
Dia.	Arbor						
1-1/2	1/2	320	1/4	1/4	20,000	04210	4
2	5/8	120	3/8	7/16	15,000	04220	4
2-1/2	5/8	120	3/8	11/16	15,000	04230	4
2-1/2	5/8	320	3/8	11/16	15,000	04240	4

Tube Brushes

Dia.	Grit	Trim Length	Overall Length	Part No.	Qty Per Box
1/2	80	2	5	04270	12
1	80	2-1/2	5-1/2	04275	12
1-1/4	80	2-1/2	5-1/2	04280	12
5/8	120	2	5	04285	12
1	120	2-1/2	5-1/2	04290	12

Cup Brushes

Size		Grit	Trim Length	Max RPM	Part No.	Qty Per Box
Dia.	Arbor					
4	5/8-11	80	1-1/2	6,000	04310	1
6	5/8-11	80	1-1/2	6,000	04340	1

End Brushes

Dia.	Grit	Trim Length	Overall Length	Max RPM	Part No.	Qty Per Box
1	120	1	2-3/4	19,000	04380	12
1	80	1	2-3/4	9,000	04390	6



WIRE
BRUSHES

BRUSHES